

HIER UNITED STRABS OF WIER OF

<u> TO AM TO WHOM THESE; PRESENTS SHAME COME;</u>

UNITED STATES DEPARTMENT OF COMMERCE **United States Patent and Trademark Office**

June 08, 2004

THIS IS TO CERTIFY THAT ANNEXED HERETO IS A TRUE COPY FROM THE RECORDS OF THE UNITED STATES PATENT AND TRADEMARK OFFICE OF THOSE PAPERS OF THE BELOW IDENTIFIED PATENT APPLICATION THAT MET THE REQUIREMENTS TO BE GRANTED A FILING DATE.

APPLICATION NUMBER: 60/474,491

FILING DATE: *May 30, 2003*

RELATED PCT APPLICATION NUMBER: PCT/US04/12877

REC'D 1 1 JUN 2004 WIPO PCT

By Authority of the COMMISSIONER OF PATENTS AND TRADEMARKS

M. TARVER Certifying Officer

PRIORITY

PTO/SE/16 (05-03)
Approved for use through 4/30/2003. OMB 0651-0032
U.S. Patent and Trademark Office; U.S. DEPARTMENT OF COMMERCE

U.S. Patent and Trademark Office; U.S. DEPARTMENT OF COMMERCE
Under the Paperwork Reduction Act of 1995, no persons are required to respond to a collection of information unless it displays a valid OMB control number.

PROVISIONAL APPLICATION FOR PATENT COVER SHEET This is a request for filing a PROVISIONAL APPLICATION FOR PATENT under 37 CFR 1,53(c).

EV078878105US Express Mail Label No. INVENTOR(S) Residence Given Name (first and middle (if any)) Family Name or Sumame (City and either State or Foreign Country) Steven M. Kowalski Royal Oak, Michigan **David James** Krysiak Pleasant Ridge, Michigan Additional inventors are being named on the separately numbered sheets attached hereto TITLE OF THE INVENTION (500 characters max) GARMENT HOOK ASSEMBLY CORRESPONDENCE ADDRESS Direct all correspondence to: x Customer Number 10291 Customer Number OR Peter J. Rashid X Individual Name RADER, FISHMAN & GRAUER PLLC 39533 Woodward Avenue Address Suite 140 **Bloomfield Hills** City 48304 State Country US Telephone (248) 594-0600 Fax (248) 594-0610 ENCLOSED APPLICATION PARTS (check all that apply) x | Specification Number of Pages CD(s), Number Drawing(s) Number of Sheets Other: x Application Data Sheet. See 37 CFR 1.76 METHOD OF PAYMENT OF FILING FEES FOR THIS PROVISIONAL APPLICATION FOR PATENT Applicant claims small entity status. See 37 CFR 1.27. **FILING FEE** A check or money order is enclosed to cover the filing fees. AMOUNT (\$) X The Director is hereby authorized to charge filing 160.00 18-0013 fees or credit any overpayment to Deposit Account Number: Payment by credit card. Form PTO-2038 is attached. The invention was made by an agency of the United States Government or under a contract with an agency of the United States Government. Yes, the name of the U.S. Government agency x No and the Government contract number are: [Page 1 of 1] Respectfully submitted, Date May 30, 2003 **SIGNATURE** TYPED OR REGISTRATION NO. 52,060 PRINTED NAME Sonu Nanda (if appropriate) (248) 594-0624 Docket Number: TELEPHONE 65961-0096

USE ONLY FOR FILING A PROVISIONAL APPLICATION FOR PATENT

I hereby certify that this correspondence is being depo in an envelope addressed to: MS Provisional Patent A	onal Patent Application Transmittal posited with the U.S. Postal Service as Express Mail, Airbill No. EV078878105US, Application, Commissioner for Patents, P.O. Box 1450, Aexandria, VA 22313-Signature:

X

PTO/SB/17 (05-03) Approved for use through 04/30/2003. OMB 0551-0032

U.S. Patent and Trademark Office; U.S. DEPARTMENT OF COMMERCE Under the Paperwork Reduction Act of 1995, no persons are required to respond to a collection of information unless it displays a valid OMB control number.								
		Complete if Known						
FEE TRANSMITTAL					Not Yet Assigned			
for FY 2003	l				Concurrently Herewith			
					or S	Steven M. Kowalski		
Effective 01/01/2003, Patent fees are subject to annual revision.						Not Yet Assigned		
Applicant claims small entity status. See 37 CFR 1.27						N/A		
		70.0.11				65961-0096		
						أحباب كيمان المالية المالية المالية		
METHOD OF PAYMENT (check all that apply)	FEE CALCULATION (continued)							
Check Credit Monay Other None X Deposit Account Deposit	Large Entity Small Entity							,
Account 18-0013 Number	Fee Code	Fee (\$)	Fee Code	Fee (\$)		Fee Descr	iption	Fee Paid
Deposit Account Rader, Fishman & Grauer PLLC	1051	130	2051	65	Surchange -	late filing fee	or oath	
Name	1052	. 50	2052	25	Surcharge -	late provision	nal filing tee or cover	
The Director is hereby authorized to: (check all that apply)					sheet.			
X Charge tee(s) indicated below X Credit any overpayments	1053	130	1053	130	Non-English	specification		
X Charge any additional fee(s) during the pendency of this application	1812	2,520	1812	2,520	For filing a red	quest for <i>ex pa</i>	noitanimaxeer ent	
Charge fee(s) Indicated below, except for the filling fee	1804	920	1804	920*	Requesting p		SIR prior to	
to the above-identified deposit account.	1805	5 1,840	1805	1,840*	Requesting p	oublication of	SIR after	
FEE CALCULATION	1251		2251	·	Examiner ac Extension for		first month	
1. BASIC FILING FEE	1252		2252	205		* -	second month	
Large Entity Small Entity	1253	3 930	2253	465	Extension to	r reply within	third month	
Fee Fee Fee Fee Fee Description Fee Paid Code (5) Code (5)	1254	4 1,450	2254	725	Extension fo	r reply within	fourth month	
1001 750 2001 375 Utility filling fee	125	5 1,970	2255	985	Extension fo	r reply within	fifth month	
1002 330 2002 165 Design filing fee	140	1 320	2401	160	Notice of Ap	peal		
1003 520 2003 260 Plant filing fee	140	2 320	2402	160	Filing a brief	in support of	an appeal	
1004 750 2004 375 Reissue filing fee	140		2403	140	Request for	•		
1005 160 2005 80 Provisional filing fea 160.00	145		1451 2452				lic use proceeding	
SUBTOTAL (1) (\$) 160.00	145		2452	55 650		evive – unavo evive - uninte		
2. EXTRA CLAIM FEES FOR UTILITY AND REISSUE	150	-	2501	650		lee (or reissu		
Extra Fee from	150	-	2502	235	Design issue	•		
Total Claims below Fee Paid	150		2503	315	Plant Issue f			
Independent	146		1460	130		the Commiss	loner	
Claims Multiple Dependent	180	7 50	1807	50	Processing	fee under 37	CFR 1.17(q)	
	180		1808	180			n Disclosure Stmt	
Large Entity Small Entity Fee	802		8021	40	Recording e	ach patent a	ssignment per	
Code (\$) Code (\$) Fee Description					property (tin	nes number c	of properties) final rejection	
1202 18 2202 9 Claims in excess of 20 1201 84 2201 42 Independent claims in excess of 3	180	9 750	2809	375	(37 CFR 1.1	129(a))	•	
1203 280 2203 140 Multiple dependent claim, if not paid	181	0 750	2810	375		iditional inver 37CFR 1.129		1
1204 84 2204 42 ** Reissue independent claims	180	750	2801	375	Request for	Continued E	xamination (RCE)	
over original patent 1205 18 2205 9 ** Reissue claims in excess of 20	180	2 900	1802	900	Request for of a design	expedited ex	xamination	
and over original patent	Oth	er fee (sp	ı ecify)		0. 0.000.9.1	орриоции		
SUBTOTAL (2) (\$) 0.00 or number previously paid, if greater, For Reissues, see above	*Re	educed by	Basic F	iling Fe	e Paid	SUBTO	TAL (3) (5)	0.00
SUBMITTED BY Complete (if applicable)								
Name (Print/Type) Sonu Nanda	Reg (Atto	Registration No. (Attomoy/Agent) 52,060				Telephone (248) 593-3323		
Signature Some Dounde						Date	May 30, 2003	
	_			===				
I hereby certify that this correspondence is being deposite		Transm		l Sendi	ce as Exnra	ess Mail Air	rhill No. EV078876	3105US

I hereby certify that this correspondence is being deposited with the U.S. Postal Service as Express Mail, Airbill No. EV078878105US in an envelope addressed to: MS Provisional Patent Application, Commissioner for Patents, P.O. Box 1450, Alexandria, VA 22313-1450, on the date shown below.

Dated: May 30, 2003

Signature: (Julie A. Barber)

Dated: May 30, 2003

Signature:

	Application No. (if known):	Attorney Docket No.: 65961-0096
		, ·
	•	
	Certificate of Express Mailing U	nder 37 CFR 1.10
		•
	I hereby certify that this correspondence is being deposited w Express Mail, Airbill No. EV078878105US in an envelope add	ith the United States Postal Service as dressed to:
	MS Provisional Patent Application	
	Commissioner for Patents P.O. Box 1450 Alexandria, VA 22313-1450	
	on <u>May 30, 2003</u> . Date	•
	Quli a. E	mba
	Signature	
	Julie A. Barber Typed or printed name of person signing	Certificate
	Note: Each paper must have its own certificate of mailing, each submitted paper.	or this certificate must identify
	Application Data Sheet	
ļ	1	•

Application Data Sheet

Application Information

Application Type:: Provisional

Subject Matter:: Utility

Suggested Group Art Unit:: N/A

CD-ROM or CD-R?:: None

Sequence submission?:: None

Computer Readable Form (CRF)?:: No

Title:: GARMENT HOOK ASSEMBLY

Attorney Docket Number:: 65961-0096

Request for Early Publication?:: No

Request for Non-Publication?:: No

Total Drawing Sheets::

Small Entity?:: No

Petition included?:: No

Secrecy Order in Parent Appl.?:: No

Applicant Information

Applicant Authority Type:: Inventor

Primary Citizenship Country:: US

Status:: Full Capacity

Given Name:: Steven

Middle Name:: M.

Family Name:: Kowalski
City of Residence:: Royal Oak

State or Province of Residence:: MI
Country of Residence:: US

Street of mailing address:: 605 E. 11 Mile, Apt. 3

City of mailing address:: Royal Oak

State or Province of mailing address:: MI

Postal or Zip Code of mailing address:: 48067

Applicant Authority Type:: Inventor

Primary Citizenship Country:: US

Status:: Full Capacity

Given Name:: David

Middle Name:: James

Family Name:: Krysiak

City of Residence:: Pleasant Ridge

State or Province of Residence:: MI

Country of Residence:: US

Street of mailing address:: 10 Fairwood

City of mailing address:: Pleasant Ridge

State or Province of mailing address:: MI

Postal or Zip Code of mailing address:: 48069

Correspondence Information

Correspondence Customer Number:: 10291

Representative Information

Representative Customer Number:: 10291

PROVISIONAL PATENT APPLICATION
Express Mail No.: EV078878105US

GARMENT HOOK ASSEMBLY

Technical Field

[0001] The present invention relates to an interior accessory for a vehicle and in particular to a garment hook on the rear door or liftgate of a vehicle.

Brief Description of the Drawings

[0002] The present invention will now be described, by way of example, with reference to the accompanying drawings, in which:

[0003] Figure 1 is a perspective view of the garment hook assembly in its lowered and raised position.

[0004] Figure 2 is a perspective view of the garment hook assembly in its lowered position within a sports utility vehicle.

[0005] Figure 3 is a side view of the garment hook assembly assembly in its lowered position within a sports utility vehicle.

Description of the Preferred Embodiment

[0006] Referring to Figures 1 and 2, a garment hook assembly 10 is shown according to one embodiment of the present invention. The garment hook assembly 10 is positioned on a liftgate assembly 20 within a vehicle 12. The liftgate assembly 20 includes an inner panel 14 and an outer panel 16. The inner panel 14 of the liftgate assembly 20 has a recess 18 for housing the garment hook assembly 10.

[0007] As best seen in Figure 1, the garment hook assembly 10 comprises a hook portion 24 and a base portion 26. The hook portion 24 and the base portion 26 are located on opposite ends of the garment hook assembly 10. In the illustrated embodiment of the present invention, the hook portion 24 can be made from a metal material and the base portion 26 can be made from a plastic material. However, it can be appreciated that the garment hook assembly 10 can also be made of all metal or all plastic, depending on the desired objectives. For instance, an all plastic garment hook

PROVISIONAL PATENT APPLICATION Express Mail No.: EV078878105US

assembly 10 has the advantages of being a lighter weight than an all metal garment hook assembly 10. In addition, an all plastic garment hook assembly 10 may be manufactured simultaneously with the inner panel 14 of the liftgate assembly 20 in an injection molding process, resulting in lower manufacturing and assembly costs. On the other hand, an all metal garment hook assembly 10 has the advantage of being able to support a greater weight than an all plastic hook.

[0008] In one embodiment of the present invention, the base portion 26 of the garment hook assembly 10 is secured to the sheet metal of the vehicle (not shown). The base portion 26 may pass through the inner panel 14 of the liftgate assembly 20 and attach directly to the sheet metal of the vehicle 12 by any conventional method. In one example of a conventional method for attachment, the base portion 26 of the garment hook assembly 10 snap fits into an aperture (not shown) in the sheet metal of the vehicle 12. By directly attaching the base portion 26 of the garment hook assembly 10 to the sheet metal of the vehicle 12, the garment hook assembly 10 has enough support to hold a substantially greater amount of weight than conventional garment hooks.

[0009] Alternatively, the garment hook assembly 10 may be attached directly to the inner panel 14 of the liftgate assembly 20. If the garment hook assembly 10 is attached to the inner panel 14 of the liftgate assembly 20, the garment hook assembly 10 may be injection molded simultaneously with the inner panel 14 of the liftgate assembly or may be manufactured separately and attached as a secondary process. As with a metal base portion 26, a plastic base portion 26 of the garment hook assembly 10 may be secured to the inner panel 14 by snap fitting the plastic base portion 26 into an aperture in the inner panel 14 of the liftgate assembly 20.

[0010] In another embodiment of the present invention, the hook portion 24 of the garment hook assembly 10 extends to the sheet metal and directly attaches to the sheet metal of the vehicle 12. The base portion 26 of the garment hook assembly 10 acts as a cover over the hook portion 24, covering the bottom segment of the hook portion 24. The inner panel 14 of the liftgate assembly 20 has an aperture for the hook portion 24 of the garment hook assembly 10 to pass through. The hook portion 24 may also pass through the base portion 26 if the base portion 26 is integral with the

PROVISIONAL PATENT APPLICATION Express Mail No.: EV078878105US

inner panel 14 of the liftgate assembly 20. If the base portion 26 is separate from the inner panel 14, the base portion 26 is placed over the bottom segment of the hook portion 24 and attached to the inner panel 14 of the liftgate assembly 20.

The base portion 26 of the garment hook assembly 10 is pivotally attached [0011] to the vehicle 12. In the illustrated embodiment, the garment hook assembly 10 is pivotally attached within the recess 18 of the inner panel 14 of the vehicle 12. The pivotal attachment allows for the base portion 26 of the garment hook assembly 10 to automatically rotate between a raised position, as shown in phantom in Figure 1, and a lowered position when the liftgate assembly 20 is opened, as shown in Figure 2. When the garment hook assembly 10 is in the raised position, the garment hook assembly 10 rests within the recess 18 of the inner panel 14. The recess 18 has a shape that substantially corresponds to the shape of the garment hook assembly 10. The depth of the recess 18 is such that when the garment hook assembly 10 is raised, the garment hook assembly 10, with or without garments 30, is substantially flush with the inner panel 14 of the liftgate assembly 20. When the garment hook assembly 10 is in the lowered position, the hook portion 26 is accessible for hanging garments 30. Upon closing of the liftgate assembly 20, the garments 30 will be positioned completely within the vehicle 12, as best seen in Figure 3.

[0012] One aspect of the present invention is the automatic movement of the garment hook assembly 10 as the liftgate assembly 20 is opened and closed. The garment hook assembly 10 is pivoted within the recess 18 of the inner panel 14 such that the garment hook assembly 10 will automatically deploy to the lowered position upon opening of the liftgate assembly 20 and return to the raised position upon closing of the liftgate assembly 20. Therefore, the garment hook assembly 10 is visible and easily accessible when the liftgate assembly 20 is opened and will not obstruct the view of the driver when the liftgate assembly 20 is closed. In the illustrated embodiment of the present invention, the garment hook assembly 10 is pivotally attached at the left side of the recess 18. However, it can be appreciated that the garment hook assembly 10 can be positioned anywhere within recess 18 so long as the garment hook assembly 10 will automatically deploy to the lowered position upon

PROVISIONAL PATENT APPLICATION Express Mail No.: EV078878105US

opening of the liftgate assembly 20 and automatically return to the raised position upon closing of the liftgate assembly 20.

[0013] The garment hook assembly 10 of the present invention has many advantages over conventional garment hooks. For example, the garment hook assembly 10 can hold more garments, or a greater weight of garments, than conventional garment hooks. The hook portion 24 of the garment hook assembly 10 is easily accessible. In addition, a person standing outside the vehicle 12 is able to visually see the garment hook assembly 10. By contrast, conventional garment hooks are hidden to someone standing outside of the vehicle 12. Once the garments are secured by the garment hook assembly 10 and the liftgate assembly 20 is closed, the garments remain flush against the side of the vehicle 12 so the driver's field of view is not compromised.

. In the illustrated embodiment, the garment hook assembly 10 is mounted [0014] to the liftgate assembly 20 for automatic deployment. However, it will be appreciated that the garment hook assembly 10 can be mounted to any location within the interior of the vehicle that will allow the automatic deployment of the garment hook assembly 10, such as a door, or the like. It can also be appreciated that the present invention may be practiced in any type of vehicle closure. For instance, the garment hook assembly 10 can be positioned on a front or rear door of the vehicle. Additionally, the size of the garment hook assembly 10 can vary depending on the desired objectives. A large garment hook assembly 10 may be desired if it is anticipated that the garment hook assembly 10 will be utilized for garments 30 that are heavy. In contrast, a small garment hook assembly 10 may be desired if it is anticipated that the garments 30 will be light in weight, or if there is limited space available in the vehicle, thereby limiting the amount of garments 30. Furthermore, the number of garment hook assemblies 10 can vary per vehicle 12. For example, a sedan may have two garment hook assemblies 10; one above the driver's side rear door and one above the passenger's side rear door. A SUV, for example, may have three or more garment hook assemblies 20; two small garment hook assemblies 20 above the rear doors and one or more large garment hook assemblies 20 on the liftgate 10 of the vehicle 12.

PROVISIONAL PATENT APPLICATION
Express Mail No.: EV078878105US

[0015] It should be understood that the aforementioned and other various alternatives to the embodiments of the invention described herein may be employed in practicing the invention. It is intended that the following claims define the scope of the invention and that the method and apparatus within the scope of these claims and their equivalents be covered thereby.

Attorney Docket No.: 65961-0096

PROVISIONAL PATENT APPLICATION Express Mail No.: EV078878105US

Claims

What is claimed is:

1. A garment hook assembly comprising:

a hook portion; and

a base portion pivotally mounted to an inner panel of a vehicle; wherein said garment hook assembly is automatically deployed when the inner panel is moved from a first position to a second position.

- 2. A garment hook assembly according to Claim 1, wherein said trim panel is a liftgate of a vehicle.
- 3. A garment hook assembly according to Claim 1, wherein said hook portion is capable of holding an object when said garment hook assembly is in said lowered position.
- 4. A garment hook assembly according to Claim 1, wherein said hook portion is made from a metal material.
- 5. A garment hook assembly according to Claim 1, wherein said hook portion is made from a plastic material.
- 6. A garment hook assembly according to Claim 1, wherein said base portion is made from a metal material.
- 7. A garment hook assembly according to Claim 1, wherein said base portion is made from a plastic material.


R0189140.DOC

FIRST NAMED INVENTOR: Steven M. Kowalski TITLE: Garment Hook Assembly

 Γ

ATTY. DOCKET NO.: 65961-0096 EXPRESS MAIL NO.: EV 078878105US

1/1



This Page is Inserted by IFW Indexing and Scanning Operations and is not part of the Official Record

BEST AVAILABLE IMAGES

Defective images within this document are accurate representations of the original documents submitted by the applicant.

Defects in the images include but are not limited to the items checked:
☐ BLACK BORDERS
☐ IMAGE CUT OFF AT TOP, BOTTOM OR SIDES
☐ FADED TEXT OR DRAWING
BLURRED OR ILLEGIBLE TEXT OR DRAWING
☐ SKEWED/SLANTED IMAGES
COLOR OR BLACK AND WHITE PHOTOGRAPHS
☐ GRAY SCALE DOCUMENTS
☐ LINES OR MARKS ON ORIGINAL DOCUMENT
☐ REFERENCE(S) OR EXHIBIT(S) SUBMITTED ARE POOR QUALITY

IMAGES ARE BEST AVAILABLE COPY.

As rescanning these documents will not correct the image problems checked, please do not report these problems to the IFW Image Problem Mailbox.